




Auszug aus dem LED-Katalog 03/2017  
Extract from the LED catalogue 03/2017

nimbus<sup>x</sup>

# ELOISE

Stehleuchten / Floorstanding luminaires

ELOISE



360 ELOISE

## ELOISE




Eloise, Stehleuchte  
Eloise, floorstanding luminaire

Kopfverdrehende Schönheit. 1968 muss eine gewisse Eloise Barry Ryans Kopf verdreht haben, wenn er ihr die Zeilen widmet „My Eloise is like the stars that please the night, The sun that makes the day, that lights the way“. Fast fünf Jahrzehnte später biegen wir uns unsere eigene Eloise zurecht und verdrehen ihr den schönen Kopf.

Das nur 16 mm schlanke Stahlrohr von Eloise schlängelt sich filigran über den Boden und streckt sich mit sicherem Schwung in den Raum. Formschlüssig geht das Rohr der Leseleuchte in den extrem flachen LED-Leuchtkopf über, der sich endlos um seine Achse drehen lässt und ein angenehmes warmweißes Licht abgibt. Als elegante Beistellleuchte lässt sie sich mit vielen Möbeln kombinieren, gibt aber auch als Solitär im Raum eine gute Figur ab. Eloise lässt sich über eine Touch-sensitive-Fläche stufenlos dimmen. Überdies ist eine nützliche Going-to-bed-Funktion integriert, welche die Leuchte innerhalb von drei Minuten langsam abdimmmt und schließlich von selbst ausschaltet.

Head-turning beauty. In 1968, a certain Eloise must have turned Barry Ryan's head, causing him to dedicate the following lines to her: "My Eloise is like the stars that please the night, The sun that makes the day, that lights the way". Almost 5 decades later, we have fashioned our own shapely Eloise and turned her pretty head.

Eloise is supported by a slim steel tube with a diameter of just 16 mm. It delicately twists its way up and confidently projects itself into space. The tube of the reading luminaire interlocks with the ultra-slim LED luminaire head, which can be continuously rotated around its own axis and emits a pleasant warm-white light. It can be combined with a lot of different furniture as an elegant free-standing luminaire and also cuts a fine figure standing on its own. Eloise can be continuously dimmed via a touch-sensitive surface. Moreover, a useful going-to-bed function has been integrated that dims the luminaire within a period of three minutes before it ultimately automatically switches itself off.



Eloise, Stehleuchte, der Leuchtenkopf lässt sich ohne Begrenzung frei um 360° drehen.

Eloise, floorstanding luminaire, the head of the luminaire can be rotated without restriction through 360°.



Eloise, Stehleuchte mit spezieller Touchdimmung

Eloise, floorstanding luminaire with a special touch dimming system

# ELOISE

## STEHLEUCHE / FLOORSTANDING LUMINAIRE

LED-Stehleuchte für Direkt- und Indirektanwendungen im Wohnbereich, mobil und universell einsetzbar als Leseleuchte oder zur atmosphärischen Raumaufhellung, extrem flacher, um 360° drehbarer Leuchtenkopf, Drehlager ohne Anschlag, Diffusorfläche aus Polycarbonat zur Entblendung und Lichtlenkung mittels ausgerichteter Kegelsenkungen, Abdeckung und gestalterisch durchgängiges Leuchtenrohr aus Edelstahl oder Rohstahl, die Steuerung und Dimmung der Leuchte erfolgt über ein Sensorfeld im Leuchtenrohr, runde hochflexible Zuleitung vom Konverter zur Leuchte in Graublau, Länge 2,5 m.  
Design: Flo Schwab, Georg Panther / Nimbus





LED floorstanding luminaire for direct and indirect applications at home, mobile and universal use as reading luminaire or for atmospheric ceiling illumination, extremely thin luminaire head, 360° rotatable in a slide bearing without limitation, diffuser surface made of polycarbonate for glare suppression and directing light by means of aligned conical indentations, cover and one-piece body tube made of stainless steel or crude steel, the luminaire is operated and dimmed by a sensor area integrated into the tube, highly flexible supply cord from converter to luminaire in dark grey, round profile, length 2,5 m.  
Design: Flo Schwab, Georg Panther / Nimbus

ELOISE	2700 K	3000 K	4000 K
<b>Stehleuchte</b>			
dimmbar			
weiß hochglänzend	<b>546-439</b>	<b>547-262</b>	—
raw, Edelstahl geschliffen	<b>547-770</b>	<b>547-772</b>	—
raw, Rohstahl	<b>548-038</b>	<b>548-039</b>	—

ELOISE	2700 K	3000 K	4000 K
<b>floorstanding luminaire</b>			
dimmbare			
brilliant white	<b>546-439</b>	<b>547-262</b>	—
raw, ground stainless steel	<b>547-770</b>	<b>547-772</b>	—
raw, crude steel	<b>548-038</b>	<b>548-039</b>	—

ABMESSUNGEN	475 × 462 × 1611 mm
GEWICHT	3000 g
LICHTTECHNIK	LED-Technologie 230 V AC (mit Konverter) 2700 K 12 W A+ 3000 K 12 W A+
LEUCHTENLICHTSTROM	~1000 lm
LICHTVERTEILUNG	95 % direktstrahlend
SCHUTZART	IP20

DIMENSIONS	475 × 462 × 1611 mm
WEIGHT	3000 g
LIGHT TECHNOLOGY	LED technology 230 V AC (with converter) 2700 K 12 W A+ 3000 K 12 W A+
LUMINOUS FLUX	~1000 lm
LIGHT DISTRIBUTION	95 % direct beam
DEGREE OF PROTECTION	IP20



Nimbus Group GmbH  
Sieglerstraße 41  
D-70469 Stuttgart  
Tel. +49 (0) 7 11 63 30 14-0  
Fax +49 (0) 7 11 63 30 14-14  
info@nimbus-group.com

[www.nimbus-lighting.com](http://www.nimbus-lighting.com)

Nimbus und Rosso sind  
Marken der Nimbus Group.

Nimbus and Rosso are  
trademarks of the Nimbus Group.

Nimbus ist Gründungsmitglied der  
Deutschen Gesellschaft für Nachhaltiges  
Bauen ([www.dgnb.de](http://www.dgnb.de)).

Nimbus is founding member of the  
German Sustainable Building Council  
([www.dgnb.de](http://www.dgnb.de)).

